AM-1001A

3.5mm gold plated connector
male & female
Body:Brass
Spring:Beryllium copper
Weight:1.4g/set

AM-1001B

3.0mm gold plated connector
male & female
Body:Brass
Spring:Beryllium copper
Weight:0.95g/set

AM-1001C

3.5mm gold plated connector
male & female
Body:Brass
Weight:1.5g/set

AM-1002A

2.0mm gold plated connector
male & female
Body:Brass
Spring:Beryllium copper
Weight:0.63g/set

AM-1002B

2.0mm gold plated connector
male & female
Body:Brass
Spring:Beryllium copper
Weight:0.47g/set

AM-1002C

2.0mm gold plated connector
male & female
Body:Brass
Spring:Beryllium copper
Weight:1g/set

AM-1002D

0.8mm gold plated connector
male & female
Body:Brass
Weight: 0.26g/set

AM-1003A

4.0mm gold plated connector
male & female
Body:Brass
Spring:Beryllium copper
Weight:2.78g/set

AM-1003B

4.0mm gold plated connector
male & female
Body:Brass
Spring:Beryllium copper
Weight:2.21g/set

AM-1003C

4.0mm gold plated connector
male & female
Body:Brass
Spring:Beryllium copper
Weight:1.65g/set

AM-1003D

4.0mm gold plated connector
male & female
Body:Brass
Spring:Beryllium copper
Weight:2.3g/set

AM-1003E

4.0mm gold plated connector
male & female
Body:Brass
Spring:Beryllium copper
Weight:2.5g/set

AM-1003F

4.0mm gold plated connector
male & female
Body:Brass
Spring:Beryllium copper
Weight: 2.86g/set



AM-1003G

4.0mm gold plated connector
male & female
Body:Brass
Spring:Beryllium copper
Weight: 2.86g/set
1.68g/pc

AM-1004B

2.3mm gold plated connector
male & female
Body:Brass
Weight:0.44g/set

AM-1005

5.5mm gold plated connector
male & female
Body:Brass
Weight:4.38g/pc

AM-1005B

5.0mm gold plated connector
male & female
Body:Brass
Weight:2.5g/pc

AM-1006A

6.0mm gold plated connector
male & female
Body:Brass
Weight:3.1g/set

AM-1006B

8.0mm gold plated connector
male & female
Body:Brass
Weight:11.3g/set

AM-1006C

6.5mm gold plated connector
male & female
Body:Brass
Weight:4.47g/set

AM-1007

2.0mm gold plated connector
with red housing
Weight:1.24g/set

AM-1008

3.5mm gold plated connector
with red housing
Weight:2.19g/set

AM-1009S

4.0mm gold plated connector
with red housing
Weight:4.2g/set
Max:OD3.9mm Cable

AM-1009L

4.0mm gold plated connector
with red housing
Weight: 5g/set
Max:12AWG Cable
(OD4.2mm)



AM-1009C

4.0mm gold plated connector
with red housing
Weight: 5.2g/set
Max:10AWG Cable
(OD5.0mm)

AM-1011A

3.5mm * 3pairs with two
housing(symmetrical)
Weight:6.2g/set,

AM-1011B

3.5mm * 3pairs with two
housing(dissymmetrical)
Weight:6.2g/set,



AM-1015

Deans connector
male & female
Weight:4.8g/set



AM-1015B

New Deans connector
with ribs
male & female
Weight:4.8g/set

AM-1015D

Small Deans connector
male & female
Weight:1.58g/set

AM-1015C

TRX connector
male & female
Weight: 9.6g/set



AM-1016

MPX connector
male & female
Weight:2.4g/set

AM-1016B

MPX with silver ring
male & female
Weight:2.72g/set



AM-1017

Micro Deans plug
male & female
Weight:1.06g/set

AM-1018

4.0 mm gold plated connector
Red & Black
Weight:11.7g/set

AM-1019

4.0 mm gold plated connector
Red & Black
Weight:5.93g/set

AM-1021A

Futaba connector set,
gold plated terminals

AM-1021A-FM

Futaba connector female,
(male terminals)

AM-1021A-M

Futaba connector male,
(female terminals)

AM-1021B

JR connector set,
gold plated terminals

AM-1021B-FM

JR connector female
(male terminals)

AM-1021B-M

JR connector male,
(female terminals)

AM-1022A

Male TAMIYA connector
(female terminals)

AM-1022B

Female TAMIYA connector
(male terminals)

AM-1023A

Male micro Tamiya connector
(female terminals)

AM-1023B

Female microTamiya connector
(male terminals)

AM-1024A

Male JST/BEC connector
(female terminals)

AM-1024B

Female JST/BEC connector
(male terminals)

AM-1025A

Male AMP connector
(female terminals)

AM-1025B

Female AMP connector
(male terminals)



AM-2001-1	15cm 26AWG Futaba extension leads,flat wire
AM-2001-2	30cm 26AWG Futaba extension leads,flat wire
AM-2001-3	45cm 26AWG Futaba extension leads,flat wire
AM-2001-4	60cm 26AWG Futaba extension leads,flat wire
AM-2001-5	90cm 26AWG Futaba extension leads,flat wire
AM-2001-6	15cm 22AWG Futaba extension leads,flat wire
AM-2001-7	30cm 22AWG Futaba extension leads,flat wire
AM-2001-8	45cm 22AWG Futaba extension leads,flat wire
AM-2001-9	60cm 22AWG Futaba extension leads,flat wire
AM-2001-10	90cm 22AWG Futaba extension leads,flat wire



AM-2002-1	15cm 26AWG JR extension leads, flat wire
AM-2002-2	30cm 26AWG JR extension leads, flat wire
AM-2002-3	45cm 26AWG JR extension leads, flat wire
AM-2002-4	60cm 26AWG JR extension leads, flat wire
AM-2002-5	90cm 26AWG JR extension leads, flat wire
AM-2002-6	15cm 22AWG JR extension leads, flat wire
AM-2002-7	30cm 22AWG JR extension leads, flat wire
AM-2002-8	45cm 22AWG JR extension leads, flat wire
AM-2002-9	60cm 22AWG JR extension leads, flat wire
AM-2002-10	90cm 22AWG JR extension leads, flat wire

AM-2001-1H	15cm 26AWG Futaba extension leads,flat wire
AM-2001-2H	30cm 26AWG Futaba extension leads,flat wire
AM-2001-3H	45cm 26AWG Futaba extension leads,flat wire
AM-2001-4H	60cm 26AWG Futaba extension leads,flat wire
AM-2001-5H	90cm 26AWG Futaba extension leads,flat wire
AM-2001-6H	15cm 22AWG Futaba extension leads,flat wire
AM-2001-7H	30cm 22AWG Futaba extension leads,flat wire
AM-2001-8H	45cm 22AWG Futaba extension leads,flat wire
AM-2001-9H	60cm 22AWG Futaba extension leads,flat wire
AM-2001-10H	90cm 22AWG Futaba extension leads,flat wire



AM-2002-1H	15cm 26AWG JR extension leads, flat wire
AM-2002-2H	30cm 26AWG JR extension leads, flat wire
AM-2002-3H	45cm 26AWG JR extension leads, flat wire
AM-2002-4H	60cm 26AWG JR extension leads, flat wire
AM-2002-5H	90cm 26AWG JR extension leads, flat wire
AM-2002-6H	15cm 22AWG JR extension leads, flat wire
AM-2002-7H	30cm 22AWG JR extension leads, flat wire
AM-2002-8H	45cm 22AWG JR extension leads, flat wire
AM-2002-9H	60cm 22AWG JR extension leads, flat wire
AM-2002-10H	90cm 22AWG JR extension leads, flat wire

AM-2003-6	15cm 22AWG Futaba extension leads, twisted wire
AM-2003-7	30cm 22AWG Futaba extension leads, twisted wire
AM-2003-8	45cm 22AWG Futaba extension leads, twisted wire
AM-2003-9	60cm 22AWG Futaba extension leads, twisted wire
AM-2003-10	90cm 22AWG Futaba extension leads, twisted wire



AM-2004-6	15cm 22AWG JR extension leads, twisted wire
AM-2004-7	30cm 22AWG JR extension leads, twisted wire
AM-2004-8	45cm 22AWG JR extension leads, twisted wire
AM-2004-9	60cm 22AWG JR extension leads, twisted wire
AM-2004-10	90cm 22AWG JR extension leads, twisted wire

AM-2003-6H	15cm 22AWG Futaba extension leads, twisted wire
AM-2003-7H	30cm 22AWG Futaba extension leads, twisted wire
AM-2003-8H	45cm 22AWG Futaba extension leads, twisted wire
AM-2003-9H	60cm 22AWG Futaba extension leads, twisted wire
AM-2003-10H	90cm 22AWG Futaba extension leads, twisted wire

AM-2004-6H	15cm 22AWG JR extension leads, twisted wire
AM-2004-7H	30cm 22AWG JR extension leads, twisted wire
AM-2004-8H	45cm 22AWG JR extension leads, twisted wire
AM-2004-9H	60cm 22AWG JR extension leads, twisted wire
AM-2004-10H	90cm 22AWG JR extension leads, twisted wire



AM-2022-1	JR male to male 26AWG 10CM
AM-2022-2	JR male to male 26AWG 15CM
AM-2022-3	JR male to male 26AWG 20CM
AM-2022-4	JR male to male 26AWG 25CM
AM-2022-5	JR male to male 26AWG 30CM
AM-2022-6	JR male to male 22AWG 10CM
AM-2022-7	JR male to male 22AWG 15CM
AM-2022-8	JR male to male 22AWG 20CM
AM-2022-9	JR male to male 22AWG 25CM
AM-2022-10	JR male to male 22AWG 30CM



AM-2005-2
30cm 22AWG Futaba male servo leads, twisted wire

AM-2006-2
30cm 22AWG Futaba female servo leads, twisted wire

AM-2007-2
30cm 22AWG JR male servo leads, twisted wire

AM-2008-2
30cm 22AWG JR female servo leads, twisted wire

AM-2009-1
30cm 26AWG JR male servo leads, flat wire

AM-2009-2
30cm 22AWG JR male servo leads, flat wire

AM-2010-1
30cm 26AWG JR female servo leads, flat wire

AM-2010-2
30cm 22AWG JR female servo leads, flat wire

AM-2011-1
30cm 26AWG Futaba male servo leads, flat wire

AM-2011-2
30cm 22AWG Futaba male servo leads, flat wire

AM-2012-1
30cm 26AWG Futaba female servo leads, flat wire

AM-2012-2
30cm 22AWG Futaba female servo leads, flat wire

AM-2013-1
20cm 26AWG Futaba male battery leads

AM-2013-2
20cm 22AWG Futaba male battery leads



AM-2014-1
20cm 26AWG Futaba female battery leads

AM-2014-2
20cm 22AWG Futaba female battery leads

AM-2015-1
20cm 26AWG JR male battery leads

AM-2015-2
20cm 22AWG JR male battery leads

AM-2016-1
20cm 26AWG JR female battery leads

AM-2016-2
20cm 22AWG JR female battery leads

AM-3001-1 15cm 26AWG Futaba Y leads, flat wire
AM-3001-2 30cm 26AWG Futaba Y leads, flat wire
AM-3001-3 60cm 26AWG Futaba Y leads, flat wire
AM-3001-4 15cm 22AWG Futaba Y leads, flat wire
AM-3001-5 30cm 22AWG Futaba Y leads, flat wire
AM-3001-6 60cm 22AWG Futaba Y leads, flat wire

AM-3002-4 15cm 22AWG Futaba Y leads, twisted wire
AM-3002-5 30cm 22AWG Futaba Y leads, twisted wire
AM-3002-6 60cm 22AWG Futaba Y leads, twisted wire

AM-3003-1 15cm 26AWG JR Y leads, flat wire
AM-3003-2 30cm 26AWG JR Y leads, flat wire
AM-3003-3 60cm 26AWG JR Y leads, flat wire
AM-3003-4 15cm 22AWG JR Y leads, flat wire
AM-3003-5 30cm 22AWG JR Y leads, flat wire
AM-3003-6 60cm 22AWG JR Y leads, flat wire



AM-3004-4 15cm 22AWG JR Y leads, twisted wire
AM-3004-5 30cm 22AWG JR Y leads, twisted wire
AM-3004-6 60cm 22AWG JR Y leads, twisted wire

AM-Y101-1 15cm 22AWG Futaba Y Leads Block Connector
AM-Y101-2 30cm 22AWG Futaba Y Leads Block Connector

AM-Y102-1 15cm 22AWG JR Y Leads Block Connector
AM-Y102-2 30cm 22AWG JR Y Leads Block Connector

AM-4001A

JST charger leads
(22awg PVC wire 60cm)

AM-4001B

JST charger leads
(20awg Silicone wire 30cm)

AM-4002A

Futaba charger leads RX
(22awg PVC wire 60cm)



AM-4002B

JR charger leads RX
(22awg PVC wire 60cm)

AM-4004A

JR(2.1-) charger leads TX
(22awg PVC wire 60cm)

AM-4004B

Futaba(2.5+) charger leads TX
(22awg PVC wire 60cm)

AM-4005

Micro Deans charger leads
(20awg Silicone wire 30cm)

AM-4006

Deans charger leads
(16awg Silicone wire 30cm)

AM-8009

Deans charger leads
(14awg Silicone wire 10cm)

AM-4007

Tamiya charger leads
(16awg Silicone wire 30cm)

AM-8008

Tamiya charger leads
(14awg Silicone wire 10cm)

AM-4008

TRX charger leads
(16awg silicone wire 30cm)

AM-4011

3.5mm(W/housing) charger leads
(16awg Silicone wire 30cm)

AM-4012

4.0mm(W/housing) charger leads
(14awg Silicone wire 30cm)

AM-4013

Glow connector charger leads
(16AWG silicone wire 30cm)

AM-4018

5.5mm charger leads
(14awg Silicone wire 30cm)

AM-8016

EC3 charger leads
(16AWG silicone wire 30cm)

AM-5004A

MPX charger leads
(14awg silicone wire 30cm)

AM-CC02

XT60 charger leads
(14awg silicone wire 30cm)

AM-CC04

XT90 charger leads
14awg silicone wire 30cm

AM-LC01

Deans Lipo charger leads

AM-LC06

Tamiya Lipo charger leads

AM-LC11

TRX Lipo charger leads

AM-LC15

XT60 Lipo charger leads

AM-5001A

Charger leads of Deans/Futaba/
JST/RX/TX/extra wire
(PVC wire)

AM-5001B

Charger leads of Deans/Futaba/
JST/Tamiya/extra wire
(18awg silicone wire)

AM-5002

Charger leads of Deans/MPX/
Tamiya/extra wire
(16awg silicone wire)

AM-5003

Charger leads of Glow/ Tamiya/
Deans/JRTX+RX and Futaba
TX +RX PVC wire

AM-5008

Multi function charger leads of mini Tamiya/
XT60/Deans/ EC3/ Tamiya/ TRX/ 1/18Scale/
Pico/ JST/ Glow/ Futaba/ JR transmitter/
Futaba transmitter

AM-6000

JR/male & JST/female switch

AM-6001

JST switch

AM-6002

JR/Futaba switch

AM-6003

JR/Futaba switch



AM-7001

JST female to Tamiya female adapter

AM-7006

JST female to JR or Futaba male adapter

AM-7002

Futaba female to Tamiya female

AM-7009

JST extension leads

AM-7003

JST male to Deans male adapter

AM-7011

Glow to Tamiya charger cable

AM-7004

JST female to Deans female adapter

AM-8001

Deans extension cable



AM-8002

Deans male to male adapter

AM-8005

Deans male to Micro Tamiya female adapter

AM-8013

EC3 Extension wire



AM-8006

Deans female to Micro Tamiya male adapter

AM-8003

Tamiya female to Deans male adapter

AM-8007

Tamiya female to Micro Tamiya male adapter

AM-8004

Tamiya male to Deans female adapter

AM-8011

TRX male to Tamiya female adapter

AM-8012

TRX female to Tamiya male adapter



AM-ADP004

Deans female to EC3 male adapter

AM-ADP001

Deans male to TRX female adapter

AM-ADP005

TRX male to EC3 female adapter



AM-ADP002

TRX male to Deans female adapter

AM-ADP006

TRX female to EC3 male adapter

AM-ADP003

Deans male to EC3 female adapter

AM-ADP007

EC3 male to Tamiya female adapter

AM-ADP008

EC3 female to Tamiya male adapter

AM-ADP009

XT60 male to Tamiya female adapter

AM-ADP010

XT60 female to Tamiya male adapter

AM-ADP013

XT60 male to TRX female adapter

AM-ADP014

XT60 female to TRX male adapter

AM-ADP015

XT60 male to EC3 female adapter

AM-ADP016

XT60 female to EC3 male adapter

AM-ADP017

XT60 male to Deans female adapter

AM-ADP018

XT60 female to Deans male adapter

AM-ADP019

XT60 male - Deans female adapter

AM-ADP020

XT60 female - Deans male adapter

XT60-D

XT60 male to Deans female adapter

XT60-E

XT60 male to EC3 female adapter

XT60-X

XT60 male to TRX female adapter

XT60-T

XT60 male to Tamiya female adapter

AM-8014

Serial harness for two batteries - EC3



AM-8026

Serial harness for two batteries - Tamiya



AM-8015

Parallel Y leads - EC3

AM-8027

Parallel Y leads - Tamiya

AM-8022

Serial harness for two batteries - Deans

AM-MC01

Serial harness for two batteries - XT60

AM-8023

Parallel Y leads - Deans

AM-MC02

Parallel Y leads - XT60

AM-MC03

Serial harness for two batteries - TRX



AM-MC06

XT90 in parallel

AM-MC04

Parallel Y leads - TRX

AM-MC07

XT60 in series

AM-7010

Parallel Y leads - JST/BEC

AM-MC08

XT60 in parallel

AM-MC05

XT90 in series

AM-MC09

Deans in series

AM-MC10

Deans in parallel

AM-MC14

EC5 in parallel

AM-MC11

EC3 in series

AM-MC12

EC3 in parallel

AM-MC13

EC5 in series

AM-9001A

3.5mm symmetrical connector w/leads 10cm

AM-9001B

3.5mm symmetrical connector w/leads 10cm

AM-9002A

3.5mm dissymmetrical connector w/leads 10cm

AM-9002B

3.5mm dissymmetrical connector w/leads 10cm

AM-9004

2mm w/leads 20awg 10cm

AM-9005

3.5mm w/leads 16awg 10cm

AM-9006

4.0mm w/leads 14awg 10cm



AM-9007A

Male bullet connector w/leads 14awg 10cm

AM-9007B

Female bullet connector w/leads 14awg 10cm



AM-9008A

Female micro Tamiya w/leads 18awg 10cm



AM-9008B

Male micro Tamiya w/leads 18awg 10cm

AM-9009A
Female Tamiya
w/leads 14awg 10cm

AM-9009B
Male Tamiya
w/leads 14awg 10cm

AM-9011A
Female AMP
w/leads 16awg 10cm

AM-9011B
Male AMP connector
w/leads 16awg 10cm

AM-9012A
Female JST/BEC
w/leads 20awg 10cm

AM-9012B
Male JST / BEL
w/leads 20awg 10cm



AM-9013A
Female black connector
w/leads 20awg 10cm

AM-9013B
Male black connector
w/leads 20awg 10cm

AM-9016A
Female Deans
w/leads 14awg 10cm

AM-9016B
Male Deans
w/leads 14awg 10cm

AM-9018A
3.5mm connector
w/leads 14awg 10cm

AM-9018B
3.5mm connector
w/leads 14awg 10cm



AM-9019A
Female MPX
w/leads 14awg 10cm

AM-9019B
Male MPX
w/leads 14awg 10cm

AM-9021A
Female TRX
w/leads 14awg 10cm

AM-9021B
Male TRX
w/leads 14awg 10cm

AM-9023A
Male EC3
w/leads 14awg 10cm

AM-9023B
Female EC3
w/leads 14awg 10cm



AM-9024A
Male XT60
w/leads 12awg 10cm

AM-9024B
Female XT60
w/leads 12awg 10cm

AM-1101A

XH male connector
(female terminals) with PVC wire
(2S/3S/4S/5S/6S)
22AWG 15cm//30cm



AM-1101B

XH female connector
(male terminals) with PVC wire
(2S/3S/4S/5S/6S)
22AWG 15cm//30cm



AM-1102A

TP male connector
(female terminals) with PVC wire
(2S/3S/4S/5S/6S)
22AWG 15cm//30cm



AM-1102B

TP female connector
(male terminals) with PVC wire
(2S/3S/4S/5S/6S)
22AWG 15cm//30cm



AM-1103A

PQ male connector
(female terminals) with PVC wire
(4S/5S/6S)
22AWG 15cm//30cm



AM-1103B

PQ female connector
(male terminals) with PVC wire
(4S/5S/6S)
22AWG 15cm//30cm



AM-1104A

EH male connector
(female terminals) with PVC wire
(2S/3S/4S/5S/6S)
22AWG 30cm

AM-1104B

EH female connector
(male terminals) with PVC wire
(2S/3S/4S/5S/6S)
22AWG 30cm

AM-1201A

XH female to double XH male
22AWG 5cm

AM-1201-R01

XH male to double XH female
22AWG 5cm

AM-1201-R02

XH male to double XH female
22AWG 5cm

AM-1203

XH extension leads (2S/3S/4S/5S/6S)
22AWG 20cm

AM-1206

EH male to XH female adapter
(2S/3S/4S/5S/6S)
22AWG 10cm

AM-1207

PQ male to XH female adapter
(2S/3S/4S/5S/6S)
22AWG 10cm

AM-1209

XH male to PQ female adapter
(2S/3S/4S/5S/6S)
22AWG 10cm

AM-1213

XH male to TP female adapter
(2S/3S/4S/5S)
22AWG 5cm/10cm

AM-1214

XH male to EH female adapter
(2S/3S/4S/5S/6S)
22AWG 10cm

AM-1215

TP male to XH female adapter
(2S/3S/4S/5S)
22AWG 5cm

AM-1217

EH extension leads (2S/3S/4S/5S/6S)
22AWG 30cm

AM-1301 Red / Black

PE heat shrink tube Φ2mm, 400m/roll
PE heat shrink tube Φ3mm, 400m/roll
PE heat shrink tube Φ4mm, 400m/roll
PE heat shrink tube Φ5mm, 200m/roll
PE heat shrink tube Φ6mm, 200m/roll
PE heat shrink tube Φ8mm, 100m/roll
PE heat shrink tube Φ10mm, 100m/roll
PE heat shrink tube Φ12mm, 100m/roll
PE heat shrink tube Φ15mm, 100m/roll

AM-1302

Red/Black/translucent

width 14mm, PVC heat shrink tube, 200m/roll
width 50mm, PVC heat shrink tube, 200m/roll
width 72mm, PVC heat shrink tube, 200m/roll
width 82mm, PVC heat shrink tube, 200m/roll
width 90mm, PVC heat shrink tube, 150m/roll
width 131mm, PVC heat shrink tube, 150m/roll



AM-1303

Red/Black

8AWG(0.08*1650,OD6.7mm)soft silicone wire, 50m/roll
10AWG(0.08*1050,OD5.5mm)soft silicone wire, 100m/roll
12AWG(0.08*680,OD4.5mm)soft silicone wire, 200m/roll
14AWG(0.08*400,OD3.5mm)soft silicone wire, 200m/roll
16AWG(0.08*252,OD3.0mm)soft silicone wire, 200m/roll
18AWG(0.08*165,OD2.8mm)soft silicone wire, 200m/roll
20AWG(0.08*100,OD1.8mm)soft silicone wire, 200m/roll
22AWG(0.08*60,OD1.7mm)soft silicone wire, 300m/roll

AM-1304

Black/Red/Yellow

Twisted PVC wire 26AWG (0.08*30,OD1.2mm),500m/roll
Twisted PVC wire 22AWG (0.08*60,OD1.4mm),500m/roll

AM-1305

Black/Red/White

Twisted PVC wire 26AWG (0.08*30,OD1.2mm) , 500m/roll
Twisted PVC wire 22AWG (0.08*60,OD1.4mm), 500m/roll

AM-1306

Black/Red/White

Flat PVC wire 26AWG (0.08*30,OD1.2mm),500m/roll
Flat PVC wire 22AWG (0.08*60,OD1.4mm),500m/roll

AM-1307

Brown/Red/Orange

Flat PVC wire 26AWG (0.08*30,OD1.2mm),500m/roll
Flat PVC wire 22AWG (0.08*60,OD1.4mm),500m/roll

AM-1308

Black/Red/Yellow

Flat PVC wire 26AWG (0.08*30,OD1.2mm),500m/roll
Flat PVC wire 22AWG (0.08*60,OD1.4mm),500m/roll

AM-1013A

gold plated battery bar
length:18.5mm from this
centre of circle to another
Weight:1.27g/set

AM-1013B

gold plated battery bar
length:22mm from this
centre of circle to another
Weight:1.6g/set

AM-1204

Glow starter extension 1

AM-1205

Glow starter extension 2

AM-1205EXT

Glow starter extension leads

AM-1602

The plier to peel off the skin of wire (200g)

AM-1603

The plier to connect terminals and wire (350g)

Welcome to www.qsntech.com

if you want to know more products as below